




SWEDEN

C A R P E T T I L E S



601 Blue



602 Grey



604 Beige

NOTE

- Photos are showing only the design / patterns.
- Specifications are subject to change when they improve product.
- Slight colour variations may occur from dye lot to dye lot.



SWEDEN
601 Blue



SWEDEN
602 Grey



SWEDEN
604 Beige



SPECIFICATIONS	SWEDEN
CONSTRUCTION	Tufted Loop Pile Linear
YARN TYPE	-
FIBRE COMPOSITION	100% Polypropylene
DYE METHOD	Solution Dyed
MACHINE GAUGE	2.54 mm 1/10th
PILE HEIGHT (±0.5%)	4 mm
TOTAL PILE HEIGHT (±0.5%)	5.5 mm
PILE WEIGHT (±0.5%)	450 gsm
TOTAL WEIGHT (±0.5%)	600 gsm
PRIMARY BACKING	Non-Woven
SECONDARY BACKING	PMB-EOC Bitumen
THIRD BACKING	Cushion Backing
PRECOAT	Synthetic Latex
TILE SIZE	50cm x 50cm
TILES PER BOX	32 pcs.
AREA PER BOX	08 sqm
Performance Specification	
Static Propensity (Anti-Static)	Passes
Flammability	Passes

Physical Properties



Reduced
Flammability



Antistatic

Recommended Installation :



Quarter
Turned



Horizontal



Herringbone



Random