

Harsh Boghani









#### SEAMLESS INTERLOCKING PANELS

Sonal Mutha





**DESIGNED BY** INDIA'S **FINEST** 







A collaboration to celebrate design from the house of



# A Walkthrough of Surfaces

Each layer of the artwork represents individual pieces of the collection. These panels are neither mass-produced nor are intended to be for mass consumption. Indeed, each piece has been envisioned, sketched & then designed by some of India's finest. We hope these make way to your homes and remain a silent (but charming) part of your life.



Quercus by Sonal Mutha



Radiante
by Eshita Marwah



Zingana by Aniketh Bafna



Azabache by Noorein Kapoor



Rey de Madera by Ajay Arya



El Limo by Dimple Motiani



Noce Italiano
by Ketaki Poonawala



Oxidar by Harsh Boghani



Nogal by Shruti Dimri



Vino by Noorein Kapoor



Brillo Ligera
by Rupande Shah



Madera Dorado

by Eshita Marwah



Brillo Oscura
by Rupande Shah



El Dorada by Meetali Mehta



Made from an evolved high-grade polymer mix, InfiColor allows you to paint your panel into an Infinite range of colors with extreme precision.. Choose from our existing range or simply create your very own palette.

It is recommeded to use epoxy coating before oil or water based paint for the InfiColor panels

#### **SPECIFICATIONS**

CORE: High Grade PS

HEIGHT: 8 ft (2440 mm)

WIDTH: 122 mm (4.75 inches)

THICKNESS: 12 mm (2/4th inch)










#### Panel Bar / Tap for Design



#### Panel Bar / Tap for Design

#### 2013



Madera Dorada

#### 2012



El Dorada

2023



Brillo Oscura

2024

Brillo Ligera

2029



**Color Series** 

2031



Color Series

2028



Color Series

2030



Color Series

2032



Color Series

2033



**Color Series** 

# Introducing InfiColor Custom Paintable Panels

2034



InfiColor

2027



InfiColor

2035



InfiColor

2036

InfiColor






#### TAP ANYWHERE ON THE PAGE



#### FOR ACTUAL APPLICATION PHOTOS









Zingana



Noce Italiano



Zingana



Noce Italiano



Quercus



Rey de Madera



Nogal



Nogal



Noce Italiano



Rey de Madera



Noce Italiano



Zingana



Nogal



Zingana



El Limo



El Limo

#### \* Design 2019 \*



Radiante

#### \*Design 2020\*



Azabache

#### ★ Design 2018 ★



Vino

#### ★ Design 2017 ★



Oxidar

#### ★ Design 2013 ★



Madera Dorado

#### ★ Design 2012 ★



El Dorada

#### ★ Design 2023 ★



**Brillo Oscura** 

#### ★ Design 2024 ★



Brillo Ligera



**Color Series** 



**Color Series** 



**Color Series** 



**Color Series** 




**Color Series** 



**Color Series** 

## InfiColor:

### **Custom Paintable Panels**



An infinite palette of colors

## ★InfiColor 2034 ★



## ★ InfiColor 2027 ★



An infinite palette of colors

## ★InfiColor 2035 ★



## ★InfiColor 2036 ★



# ticolor Inficolor Inficolo ficolonficolonficolo



# LOOK BOOK





InfiColor / Custom Paintable Panels





InfiColor / Custom Paintable Panels





InfiColor / Custom Paintable Panels





InfiColor / Custom Paintable Panels





InfiColor / Custom Paintable Panels






InfiColor / Custom Paintable Panels





InfiColor / Custom Paintable Panels





InfiColor / Custom Paintable Panels





InfiColor / Custom Paintable Panels






InfiColor / Custom Paintable Panels

## Installation Guide

#### **Process**

Prep-work with plywood / MDF is recommended before the construction. Please remove any kind of wall / film on the surface of the base.



Apply a quality adhesive on the back of the Louvers. apply a small amount of hot melt (glue-gun) on the back of the Louvers.



Louvers can be installed in both horizontal or vertical direction. screwing on the tongue/ interlocking space for better fixing.



Circular saw to be used to cut required length.



For corners, combine the two grooves.



#### **Tools Required**













### Handing Instructions

- \* Recommend to keep in room temperature 24/48 hrs for acclimatization.
- Gently handle the edge of the product.
- \* Make sure the base where the louvers are being installed is smooth and dust free.
- \* Standardised adhesive / glue is recommended to use.
- \* Louvers are intended only for indoor use.
- \* Avoid direct sunlight or use installation near hobs/stove
- \* Louvers are water proof but prolonged exposure to moisture can do harm to the product.
- \* Cleaning ONLY with a soft damp cloth without any chemicals or cleaning agents.