

Elevate Your Workspace Style



CARPET TILES



PULSE FLOOR CARPET TILES



PF-831 / CN 5142
ASH GREY



PF-832 / CN 5143
CHARCOAL



PF-833 / CN 5145
CYAN BLUE



PF-836 / CN 5144
Tangerine Orange




PF-834 / CN 5146
OATMEAL

Specifications

STYLE	PULSE FLOOR
Fibre Composition	Aquafil Chromo Nylon
Construction	Multi-Level Scroll
Machine Gauge	1/12
Pile Height ($\pm 0.5\%$)	5 MM
Total Height ($\pm 0.5\%$)	8 MM
Pile Weight ($\pm 0.5\%$)	800 gms/m²
Primary Backing	Non-Woven Lutrador
Secondary Backing	Stablesield 100% Vinyl
Size	50 x 50 cm
Tile per box	20 pcs (5m²)
Installation	Surface Tackifier
Limited Warranty	15 years
Antistatic Properties	Permanently Antistatic






PF-831 / CN 5142
ASH GREY

Note:-



- I) The photos are displaying only the design or pattern.**
- II) Specifications may be subject to change as improvements are made to the product.**
- III) SLIGHT COLOUR VARIATIONS MAY OCCUR FROM DYE LOT TO DYE LOT**




**PF-832 / CN 5143
CHARCOAL**

Note:-



- I) The photos are displaying only the design or pattern.**
- II) Specifications may be subject to change as improvements are made to the product.**
- III) SLIGHT COLOUR VARIATIONS MAY OCCUR FROM DYE LOT TO DYE LOT**




**PF-833 / CN 5145
CYAN BLUE**

Note:-



- I) The photos are displaying only the design or pattern.**
- II) Specifications may be subject to change as improvements are made to the product.**
- III) SLIGHT COLOUR VARIATIONS MAY OCCUR FROM DYE LOT TO DYE LOT**



PF-836 / CN 5144
Tangerine Orange

Note:-



- I) The photos are displaying only the design or pattern.**
- II) Specifications may be subject to change as improvements are made to the product.**
- III) SLIGHT COLOUR VARIATIONS MAY OCCUR FROM DYE LOT TO DYE LOT**



**PF-834 / CN 5146
OATMEAL**

Note:-



- I) The photos are displaying only the design or pattern.**
- II) Specifications may be subject to change as improvements are made to the product.**
- III) SLIGHT COLOUR VARIATIONS MAY OCCUR FROM DYE LOT TO DYE LOT**